



ASAM

Association for Standardization of
Automation and Measuring Systems

ASAM ATX

XML Schema Reference Guide

Version 1.0.1

Date: 2018-09-25

Disclaimer

This document is the copyrighted property of ASAM e.V.
Any use is limited to the scope described in the license terms. The license terms can be viewed at www.asam.net/license

Table of Contents

Foreword	17
1 Description of ATX XML Schema Elements	18
1.1 ABS	18
1.2 ADD-INFO	18
1.3 ADDITIONAL-NATIVE-TYPE-QUALIFIER	21
1.4 ADDRESS	21
1.5 ADMIN-DATA	22
1.6 ANNOTATION	23
1.7 ANNOTATION-ORIGIN	24
1.8 ANNOTATION-TEXT	24
1.9 ANNOTATIONS	27
1.10 API-LIBRARY	27
1.11 API-METHOD	27
1.12 APPLICATION-ARRAY-DATA-TYPE	28
1.13 APPLICATION-DATA-TYPE-REF	31
1.14 APPLICATION-PRIMITIVE-DATA-TYPE	32
1.15 APPLICATION-RECORD-DATA-TYPE	35
1.16 APPLICATION-RECORD-ELEMENT	38
1.17 APPLICATION-VALUE-SPECIFICATION	40
1.18 AR-PACKAGE	41
1.19 AR-PACKAGES	45
1.20 AREA	45
1.21 ARGUMENT-LIST	48
1.22 ARGUMENTS	48
1.23 ARRAY-SIZE	49
1.24 ARRAY-SIZE-SEMANTICS	50
1.25 ARRAY-VALUE-SPECIFICATION	50
1.26 ARTIFACTS	51
1.27 ATX	51
1.28 ATX-BLUEPRINTS	52
1.29 BASE-IS-THIS-PACKAGE	53
1.30 BASE-TYPE-ENCODING	54

1.31	BASE-TYPE-REF	54
1.32	BASE-TYPE-SIZE	55
1.33	BIT-POSITION	55
1.34	BLUEPRINT-CONDITION	55
1.35	BLUEPRINT-MAPPING	57
1.36	BLUEPRINT-MAPPING-SET	58
1.37	BLUEPRINT-MAPS	60
1.38	BLUEPRINT-REF	61
1.39	BR	62
1.40	BYTE-ORDER	62
1.41	CATEGORY.10071	62
1.42	CATEGORY.1657	63
1.43	CATEGORY.5692	63
1.44	CATEGORY.6325	64
1.45	CATEGORY.6407	64
1.46	CHANGE	64
1.47	CHAPTER	65
1.48	CITY	70
1.49	CODE-FILE	71
1.50	COLSPEC	71
1.51	COMMENT	72
1.52	COMPANY-DATA	72
1.53	COMPANY-DATA-REF	75
1.54	COMPANY-DATAS	75
1.55	COMPANY-DOC-INFO	76
1.56	COMPANY-DOC-INFOS	77
1.57	COMPANY-REVISION-INFO	77
1.58	COMPANY-REVISION-INFOS	78
1.59	COMPANY-SPECIFIC-INFO	78
1.60	COMPU-CONST	79
1.61	COMPU-DEFAULT-VALUE	80
1.62	COMPU-DENOMINATOR	81
1.63	COMPU-GENERIC-MATH	81
1.64	COMPU-IDENTITY	82
1.65	COMPU-INTERNAL-TO-PHYS	82
1.66	COMPU-INVERSE-VALUE	83

1.67 COMPU-METHOD	84
1.68 COMPU-METHOD-REF	87
1.69 COMPU-NUMERATOR	88
1.70 COMPU-PHYS-TO-INTERNAL	89
1.71 COMPU-RATIONAL-COEFFS	89
1.72 COMPU-SCALE	90
1.73 COMPU-SCALES	92
1.74 COND	92
1.75 CONFLICTS	94
1.76 CONSTR-LEVEL	97
1.77 CONTRACT-ASPECTS	97
1.78 CURRENT-EXP	98
1.79 DATA-CONSTR	98
1.80 DATA-CONSTR-REF	101
1.81 DATA-CONSTR-RULE	101
1.82 DATA-CONSTR-RULES	102
1.83 DATA-TO-BE-REPORTED-REF	102
1.84 DATA-TO-BE-REPORTED-REFS	103
1.85 DATA-TYPE-MAP	104
1.86 DATA-TYPE-MAPPING-SET	104
1.87 DATA-TYPE-MAPS	107
1.88 DATE	107
1.89 DEF	107
1.90 DEF-ITEM	110
1.91 DEF-LIST	111
1.92 DEPARTMENT	112
1.93 DEPENDENCIES	113
1.94 DERIVED-OBJECT-REF	115
1.95 DESC	116
1.96 DESCRIPTION	116
1.97 DIRECTION	119
1.98 DISPLAY-FORMAT	119
1.99 DISPLAY-NAME	120
1.100 DOC-LABEL	120
1.101 DOC-REVISION	121
1.102 DOC-REVISIONS	122

1.103DOMAIN	123
1.104E	123
1.105ELEMENT	124
1.106ELEMENTS.5059	127
1.107ELEMENTS.5940	128
1.108ELEMENTS.9770	128
1.109EMAIL	130
1.110ENCRYPTION	131
1.111ENGINEERING-OBJECT	131
1.112ENTRY	132
1.113ENTRYPOINT	135
1.114ESTIMATED-EXECUTION-TIME	135
1.115EXECUTION-MODE	136
1.116EXECUTION-STATE	136
1.117EXECUTION-TIME	136
1.118EXPECTED-RESULT	136
1.119FACTOR-SI-TO-UNIT	139
1.120FAX	139
1.121FIELDS	139
1.122FIGURE	140
1.123FIGURE-CAPTION	142
1.124FORMULA	143
1.125FORMULA-CAPTION	144
1.126FT	145
1.127GENERAL-PROJECT-DATA	146
1.128GENERIC-MATH	147
1.129GLOBAL-ELEMENT	147
1.130GLOBAL-ELEMENTS	148
1.131GRAPHIC	148
1.132HOMEPAGE	151
1.133IE	151
1.134IMPLEMENTATION-DATA-TYPE	152
1.135IMPLEMENTATION-DATA-TYPE-ELEMENT	155
1.136IMPLEMENTATION-DATA-TYPE-REF	158
1.137IMPORTANCE	159
1.138INDENT-SAMPLE	159

1.139	INITIAL-VALUE	160
1.140	INPUT-VARIABLE-TYPE-REF	160
1.141	INTERNAL-CONSTRS	161
1.142	INTRODUCTION	162
1.143	INVALID-VALUE	165
1.144	IS-AUTOMATED-TEST-CASE	166
1.145	IS-CONFIRMATION-TEST-CASE	166
1.146	IS-DEFAULT	166
1.147	IS-DESTRUCTIVE-TEST-CASE	166
1.148	IS-GLOBAL	167
1.149	IS-REGRESSION-TEST-CASE	167
1.150	ISSUED-BY	167
1.151	ITEM	168
1.152	ITEM-LABEL	170
1.153	L-1	171
1.154	L-10	173
1.155	L-2	174
1.156	L-4	176
1.157	L-5	177
1.158	L-GRAPHIC	179
1.159	LABEL	180
1.160	LABEL-1	180
1.161	LABELED-ITEM	181
1.162	LABELED-LIST	184
1.163	LANGUAGE	186
1.164	LENGTH-EXP	186
1.165	LIST	186
1.166	LITERAL-VALUE	187
1.167	LONG-NAME	188
1.168	LONG-NAME-1	189
1.169	LOWER-LIMIT	190
1.170	LUMINOUS-INTENSITY-EXP	191
1.171	MAP	191
1.172	MASK	194
1.173	MASS-EXP	194
1.174	MAX	194

1.175MAX-BASE-TYPE-SIZE	195
1.176MAX-DIFF	195
1.177MAX-GRADIENT	195
1.178MAX-NUMBER-OF-ELEMENTS	196
1.179MC-FUNCTION	196
1.180MEM-ALIGNMENT	197
1.181MIN	197
1.182MODIFICATION	198
1.183MODIFICATIONS	198
1.184MOLAR-AMOUNT-EXP	199
1.185MONOTONY	199
1.186MSR-QUERY-CHAPTER	200
1.187MSR-QUERY-NAME	201
1.188MSR-QUERY-P-1	201
1.189MSR-QUERY-PROPS	202
1.190MSR-QUERY-RESULT-CHAPTER	203
1.191MSR-QUERY-RESULT-P-1	203
1.192MSR-QUERY-RESULT-TOPIC-1	206
1.193MSR-QUERY-TOPIC-1	206
1.194NATIVE-DECLARATION	207
1.195NCOI-1	207
1.196NOTE	210
1.197NUMBER	213
1.198NUMBER-OF-BITS	214
1.199NUMERICAL-VALUE-SPECIFICATION	214
1.200OBSERVED-RESULT	215
1.201OFFSET-SI-TO-UNIT	217
1.202OPTION	217
1.203OPTIONS	218
1.204ORIGIN-REF	218
1.205OVERALL-PROJECT	219
1.206P	220
1.207PACKAGE-REF	221
1.208PASSED-CONDITION	222
1.209PHONE	222
1.210PHYS-CONSTRS	223

1.211 PHYSICAL-DIMENSION	224
1.212 PHYSICAL-DIMENSION-REF	227
1.213 PLANNED-TEST-CASE	228
1.214 PLANNED-TEST-CASE-DATA	231
1.215 PLANNED-TEST-CASE-DATAS	232
1.216 PLANNED-TEST-CASE-FOLDER	232
1.217 PLANNED-TEST-CASES	234
1.218 POSITION	235
1.219 PRM	235
1.220 PRM-CHAR	237
1.221 PRM-UNIT	239
1.222 PRMS	240
1.223 PROG-CODE	241
1.224 PROJECT	242
1.225 PROJECT-DATA	243
1.226 PROVIDES-VERDICT	243
1.227 PUBLISHER	244
1.228 QUALITY-ATTRIBUTE	244
1.229 QUALITY-ATTRIBUTE-REF	246
1.230 QUALITY-ATTRIBUTE-REFS	247
1.231 RATIONALE	247
1.232 REASON	249
1.233 RECORD-VALUE-SPECIFICATION	250
1.234 REFERENCE-BASE	251
1.235 REFERENCE-BASES	252
1.236 REFERENCED-VALUE-SPECIFICATION	252
1.237 REFERRABLE-REF	253
1.238 RELATED-DOC	255
1.239 RELATED-DOCS	255
1.240 REMARK	255
1.241 REPETITION	257
1.242 REPORT-FREQUENCY	258
1.243 RESTRICTIONS	258
1.244 RETURN	260
1.245 REVISION	263
1.246 REVISION-LABEL	263

1.247 REVISION-LABEL-P-1	264
1.248 REVISION-LABEL-P-2	264
1.249 REVISION-LABELS	265
1.250 ROLE	265
1.251 ROLES	266
1.252 ROW	266
1.253 SAMPLE	267
1.254 SAMPLE-SPEC	269
1.255 SAMPLES	270
1.256 SCALE-CONSTR	270
1.257 SCALE-CONSTRS	272
1.258 SD	272
1.259 SDG	273
1.260 SDG-CAPTION	274
1.261 SDG-CAPTION-REF	275
1.262 SDGS	276
1.263 SDX-REF	276
1.264 SHARED-AXIS-TYPE-REF	277
1.265 SHORT-LABEL.10861	278
1.266 SHORT-LABEL.8923	279
1.267 SHORT-NAME	279
1.268 SHORT-NAME-PATTERN	280
1.269 START-CONDITION	281
1.270 STATE.8808	281
1.271 STATE.8884	282
1.272 STD	282
1.273 STOP-CONDITION	283
1.274 STRUCTURED-REQ	284
1.275 SUB	287
1.276 SUB-ELEMENTS	287
1.277 SUBTITLE	288
1.278 SUP	288
1.279 SUPPORTING-MATERIAL	288
1.280 SW-ADDR-METHOD	291
1.281 SW-ADDR-METHOD-DESC	293
1.282 SW-ADDR-METHOD-REF	296

1.283SW-ALIGNMENT	297
1.284SW-AXIS-CONT	297
1.285SW-AXIS-CONTS	299
1.286SW-AXIS-GENERIC	299
1.287SW-AXIS-GROUPED	300
1.288SW-AXIS-INDEX	301
1.289SW-AXIS-INDIVIDUAL	301
1.290SW-AXIS-TYPE	303
1.291SW-AXIS-TYPE-REF	305
1.292SW-BASE-TYPE	306
1.293SW-BIT-REPRESENTATION	310
1.294SW-CALIBRATION-ACCESS	311
1.295SW-CALPRM-AXIS	311
1.296SW-CALPRM-AXIS-SET	312
1.297SW-CALPRM-NO-EFFECT-VALUE	313
1.298SW-CALPRM-VALUE-AXIS-LABELS	313
1.299SW-DATA-DEF-PROPS	313
1.300SW-DATA-DEF-PROPS-CONDITIONAL	314
1.301SW-DATA-DEF-PROPS-VARIANTS	320
1.302SW-FILL-CHARACTER	320
1.303SW-GENERIC-AXIS-DESC	320
1.304SW-GENERIC-AXIS-PARAM	322
1.305SW-GENERIC-AXIS-PARAM-TYPE	323
1.306SW-GENERIC-AXIS-PARAM-TYPE-REF	325
1.307SW-GENERIC-AXIS-PARAM-TYPES	326
1.308SW-GENERIC-AXIS-PARAMS	327
1.309SW-IMPL-POLICY	327
1.310SW-INTENDED-RESOLUTION	327
1.311SW-INTERPOLATION-METHOD	328
1.312SW-IS-VIRTUAL	328
1.313SW-MAX-AXIS-POINTS	329
1.314SW-MAX-TEXT-SIZE	329
1.315SW-MIN-AXIS-POINTS	330
1.316SW-NUMBER-OF-AXIS-POINTS	331
1.317SW-POINTER-TARGET-PROPS	332
1.318SW-RECORD-LAYOUT	333

1.319SW-RECORD-LAYOUT-COMPONENT	335
1.320SW-RECORD-LAYOUT-GROUP	336
1.321SW-RECORD-LAYOUT-GROUP-AXIS	339
1.322SW-RECORD-LAYOUT-GROUP-FROM	339
1.323SW-RECORD-LAYOUT-GROUP-INDEX	340
1.324SW-RECORD-LAYOUT-GROUP-STEP	340
1.325SW-RECORD-LAYOUT-GROUP-TO	340
1.326SW-RECORD-LAYOUT-REF	340
1.327SW-RECORD-LAYOUT-V	341
1.328SW-RECORD-LAYOUT-V-AXIS	344
1.329SW-RECORD-LAYOUT-V-FIX-VALUE	344
1.330SW-RECORD-LAYOUT-V-INDEX	344
1.331SW-RECORD-LAYOUT-V-PROP	345
1.332SW-TEXT-PROPS	345
1.333SW-VALUE-BLOCK-SIZE	346
1.334SW-VALUE-CONT	347
1.335SW-VALUES-CODED	348
1.336SW-VALUES-PHYS	349
1.337SW-VAR-NOT-AVL-VALUE	350
1.338SW-VARIABLE-ACCESS-IMPL-POLICY	350
1.339SYNTAX	351
1.340TABLE	351
1.341TABLE-CAPTION	353
1.342TARGET-CATEGORY	354
1.343TBODY	354
1.344TEAM-MEMBER	355
1.345TEAM-MEMBER-REF	358
1.346TEAM-MEMBER-REFS	359
1.347TEAM-MEMBERS	360
1.348TEMPERATURE-EXP	360
1.349TEST-ACTION	360
1.350TEST-ACTION-FOLDER	364
1.351TEST-ACTION-IMPLEMENTATION	368
1.352TEST-ACTION-IMPLEMENTATION-REF	370
1.353TEST-ACTION-INFO	371
1.354TEST-ACTION-MAPPING	374

1.355TEST-ACTION-MAPPING-SET	375
1.356TEST-ACTION-MAPPINGS	378
1.357TEST-ACTION-REF	378
1.358TEST-ACTIONS	379
1.359TEST-ARGUMENT-ELEMENT	379
1.360TEST-BASE	382
1.361TEST-BASE-DETAILS	384
1.362TEST-BASE-REF	386
1.363TEST-BASE-REFS	387
1.364TEST-BLUEPRINT-SET	387
1.365TEST-CASE	390
1.366TEST-CASE-ATTRIBUTES	395
1.367TEST-CASE-BASE	397
1.368TEST-CASE-DOCUMENTATION	397
1.369TEST-CASE-FOLDER	403
1.370TEST-CASE-PARAM-VALUES	406
1.371TEST-CASE-PRIORITY	408
1.372TEST-CASE-REF	408
1.373TEST-CASE-REFS	409
1.374TEST-CASES	410
1.375TEST-CONSTANT-ELEMENT	410
1.376TEST-CONSTANTS	413
1.377TEST-DATA-VALUE-REF	413
1.378TEST-ENVIRONMENT	414
1.379TEST-ENVIRONMENT-REF	416
1.380TEST-ENVIRONMENT-REFS	417
1.381TEST-ENVIRONMENT-SET	417
1.382TEST-ENVIRONMENTS	420
1.383TEST-EXECUTION-PLAN	420
1.384TEST-EXECUTION-STEPS	423
1.385TEST-LEVEL	424
1.386TEST-OBJECT	424
1.387TEST-OBJECT-REF	426
1.388TEST-OBJECT-REFS	427
1.389TEST-OBJECT-SET	427
1.390TEST-OBJECTS	430

1.391 TEST-PARAM-DEF-REF	430
1.392 TEST-PARAM-ELEMENT	431
1.393 TEST-PARAM-VALUE-SET	434
1.394 TEST-PARAM-VALUE-SET-CAPTION	434
1.395 TEST-PARAM-VALUE-TABLE	435
1.396 TEST-PARAM-VALUES	436
1.397 TEST-PARAMETERS	436
1.398 TEST-QUALITY-CRITERION-REF	437
1.399 TEST-QUALITY-CRITERION-REFS	438
1.400 TEST-RESOURCE	438
1.401 TEST-RESOURCES	440
1.402 TEST-SETUP-STEPS	441
1.403 TEST-SPEC	441
1.404 TEST-SPEC-DOCUMENTATION	445
1.405 TEST-STEP	450
1.406 TEST-STEP-FOLDER	455
1.407 TEST-TEARDOWN-STEPS	459
1.408 TEST-TECHNIQUE	459
1.409 TEST-VALUE-SET-REF	461
1.410 TEST-VARIABLE-ELEMENT	462
1.411 TEST-VARIABLES	465
1.412 TEX-MATH	465
1.413 TEXT	466
1.414 TEXT-VALUE-SPECIFICATION	466
1.415 TFOOT	467
1.416 TGROUP	468
1.417 THEAD	469
1.418 TIME-EXP	470
1.419 TOL	470
1.420 TOOL	470
1.421 TOOL-VERSION	471
1.422 TOPIC-1	471
1.423 TRACE	476
1.424 TRACE-REF	480
1.425 TRACE-REFS	480
1.426 TT	481

1.427 TYP	481
1.428 TYPE	482
1.429 TYPE-EMITTER	482
1.430 TYPE-REF	482
1.431 TYPE-TREF	483
1.432 UNIT	484
1.433 UNIT-DISPLAY-NAME	487
1.434 UNIT-GROUP	487
1.435 UNIT-REF	490
1.436 UNIT-REFS	491
1.437 UPPER-LIMIT	491
1.438 URL	492
1.439 USE-CASE	492
1.440 USED-LANGUAGES	495
1.441 USED-TEST-PARAMS	495
1.442 USED-TEST-TECHNIQUE-REF	496
1.443 V.11269	496
1.444 V.39	497
1.445 VALUE-AXIS-DATA-TYPE-REF	498
1.446 VALUE-REF	499
1.447 VALUE.2117	499
1.448 VALUE.9784	500
1.449 VALUE.9816	501
1.450 VARIATION-POINT	501
1.451 VERBATIM	503
1.452 VERDICT	504
1.453 VERDICT-DEFINITION	505
1.454 VERDICT-RESULT	506
1.455 VF	506
1.456 VG	507
1.457 VT	508
1.458 XDOC	509
1.459 XFILE	510
1.460 XREF	511
1.461 XREF-TARGET	512
1.462 ZIP	513

List of Tables**514**

Foreword

This XML Schema Reference Guide which describes all XML elements of the **A**utomotive **T**est **eX**change format from the data models perspective. The principles of ATX and the semantic constraints of ATX are described in the ATX Programmers Guide.