# What is new in ASAM MCD-2D (ODX) Version 2.2 Release candidate?



## **Dates and Deliverables**

Delivery date: 15. February 2008
Content of MCD-2D ODX v2.2 Release candidate

- ODX Specification including
  - **≻UML** Model
  - ➤ Schema files (generated)
  - ➤ Checker rules
  - ➤ Examples
- Open issue list for ODX 2.2
  - Final release meeting JEG scheduled for 27./28./29. February



# Input for ASAM MCD-2D ODX 2.2 Release Candidate

- Integration of agreed voting feedback from ISO including the feedback from JEG
- Alignment with MCD-3D focuses an the following items: inheritance issues, functional diagnostics, variant identification and environment data
- Alignment with D-PDU API focuses on communication parameter



#### **Bugfixes**

- 1. For value coding the ASAM types correspond with XML Schema types/physical types.
- 2. The ODX package (PDX) is aligned with XHTML and ASAM HDO.
- 3. The use of POS-RESPONSES, NEG-RESPONSES, GLOBAL-NEG-RESPONSE and NRC-CONST is aligned.
- 4. The Environement data at trouble codes is simplified so that only references to ENV-DATA are contained in ENV-DATA-DESC.



#### Bugfixes – continued

- 1. The boundaries for uniqueness of SHORT-NAMEs are adopted.
- 2. The following interpretations of simple and complex are enhanced: termination of COMPU-METHOD/DIAG-CODED-TYPE, termination of Dynamic-End-Marker-Field and BCD-encoding in byte-fields.
- 3. The TABLE section is aligned with the useage of DIAG-COMM and DIAG-VARIABLE. The usage of cascading tables is specified now.
- 4. The list of checkerrules is adopted due spec lacks and consistency.

#### **Enhancements**

- 1. The section ECU memory programming is improved due the experiences of users (sessions/SESSION-DESC, calculation of memory size and addresses, encryption methods, using filters)
- 2. The section ECU-CONFIG (new in 2.1.0) is improved for consistency.
- 3. The section FUNCTION-DICTIONARY and SUB-COMPONENTS is improved in alignment of MCD-3D to ensure that FUNCTIO-NODES are executable.
- 4. Introduce LIBRARY as not executable code (e.g. java source code) which is used by executable code defined within a PROG-CODE instance (Already proposed for v2.1)
- 5. Append an informative annex <u>User-defined formats for Flashdata</u> instead of standardization.



#### Enhancements – continued

- 1. The section regarding "value inheritance" is clarified of ambigous paragraphs. A new section "Multiple inheritance" points out formerly implicite informations. Also the section describing the inheritance communication parameters has been reworked.
- 2. The ODX referencing mechanisms are checked. The usage of ECU-SHARED-DATA avoiding redundand data is described explicitely. For parameters with recursive hierarchies (->STRUCTUREs) the new mechanism "SHORT-NAME-PATH-REF" is introduced.

#### Formal Enhancements

- 1. The figures are orderd by sections and the format is changed from *wmf* to *tif*.
- 2. Examples and code snippetes of source code are checked.
- 3. Common formulations are introduced, for example D-server, D-PDU API or odxlink.